Art Unit: 1724



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademurk Office Address COMMISSIONER POR PATENTS FC. Dox 1450 Advantion, Viginia 22313-1450

APPLICATION NUMBER

Michael I Falkoff

65 Grove Street Watertown, MA 02472 FILING OR 371 (c) DATE

FIRST NAMED APPLICANT

ATTY. DOCKET NO./TITLE

09/960.613

Legal Department, Ionics, Inc.

09/21/2001

Gerald A. Krulik

A-69792/MSS

CONFIRMATION NO. 5653

OC000000011422241

Date Mailed: 12/04/2003

NOTICE OF ACCEPTANCE OF POWER OF ATTORNEY

This is in response to the Power of Attorney filed 12/03/2003.

The Power of Attorney in this application is accepted. Correspondence in this application will be mailed to the above address as provided by 37 CFR 1.33.

TERESA J JACKSON WOODRUFF

1700 (571) 272-1020

OFFICE COPY

Application/Control Number: 09/960,613

Art Unit: 1724

An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Michael I. Falkoff on 12-3-03.

The application has been amended as follows:

In claim 1 line 3 before "," – in a filter tank and said flocculated materials clog the filter – has been inserted; in line 5 "floc...in" has been changed to – flocculated materials into dispersed precipitates, cleaning the filter in said filter tank with – has been inserted; in line 6 before "," – for a time to ensure dispersion of said precipitates – has been inserted; and in lines 6 and 7 "clogged flocculated...membrane" has been changed to – dispersed precipitates from the filter -.

In claim 11 line 3 before "," – in a filter tank and said flocculated materials clog the filter – has been inserted; in line 6 "soaking...agent" has been changed to - cleaning the filter in said filter tank with said wastewater and dispersing agent for a time to ensure dispersion of said precipitates – has been inserted; and in lines 7 and 8 "clogged flocculated...filter" has been changed to – dispersed precipitates from the filter -.

In the specification on page 3 line 16 "oxidiziers" has been changed to – oxidizer -; on page 6 line 9 "logged" has been changed to – clogged -; and on page 7 line 1 "waster" has been changed to – waste -.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Peter A. Hruskoci whose telephone number is 703-308-3839. The examiner can normally be reached on Monday through Friday from 6:30AM-4:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Blaine Copenheaver can be reached on 703-308-1261. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9310.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703-308-0661.

Peter A. Hruskoci Primary Examiner Art Unit 1724

12/3/03